

Security Packaging Manufacturer **Expert of Security Packaging**

Expert of occurre

Our Team











Our Laboratory











Our Workshop

















+852.8193.0288

www.AdsurePackaging.com Sales01@AdsurePackaging.com

ADSURE PACKAGING LIMITED

The Expert of Security Packaging





Security Features Construction and Recommendation

We provide custom Security Features for your specific requirements.

Custom Design and Print Service

From conceptual design to prototype samples, we provide artworks and custom print services.

Quality Assurance

We have advanced quality control system for tracking and tracing the product quality before, during and after the production processes.



Tel: +852.8193.0288 www.AdsurePackaging.com



Adsure® Packaging Limited

Adsure® is a professional manufacturer with over 30 years' experience to provide security packaging solution for the transfer and storage of valuables like cash, confidential documents, personal property.

With latest manufacturing technologies, Adsure® provides state-of-the -art applications for Banks, Cash-In-Transit companies, Armored Car Companies, Retail Chain Stores, Police, Prison & Custom, Duty Free Stores, Government and Logistics.

Adsure® provides a range of security products like Security Bags, Security Seals, Security Labels, RFID Tags. Adsure® is specialized in providing different kind of security level including custom service to satisfy our customers' demand.

ADSURE® = ADvanced Technology to enSURE security packaging = The Quality and Trusted partner for Security Packaging

Best Regards



General Manager





Web

Visit our website www.adsurepackaging.com for learning more detail about our company and products. You may find more suitable products for your securily packaging.

Call us 852.8193.0288

You can call us to let us know your actual demand quickly and directly.

Email

Email your order or inquiry information request to: Sales01@adsurepackaging.com

Custom orders

Adsure® provides custom services for your packaging. Please send more details that you request so that we can work on more quickly.

Price Term

EXW, FOB, CNF, CIF.

Payment Terms

Deposit before mass production and balance before shipment, we accept T/T. PavPal, and Western Union. Long term partnership enjoys 30 days payment terms.

Lead Time

For the stock products, we can send at the same day when receiving the payment.

Lead time of Mass Production will be around 14~21 working days when we receive order, deposit and approved artwork.

Product Tolerances

About the stock products, we will send based on our standard specifications. About the custom order, there will be some tolerances of quantity and size. Tolerances of quantity will be 10% more or less to be allowed, pay for finished quantity Size tolerance will be +/- 5mm width & Length; +/- 0.002mm thickness.

Table Of Contents:

Tamper-Evident Bags	4-17
* Level 4 Security Bags •••••••	6
* Level 2 Security Bags •••••••	7
* Stock Security Bags · · · · · · · · · · · · · · · · · · ·	8
* STEBs For Airlines And Duty Free Stores	9
* Non-Woven Fleece Bags •••••••	10-11
* Deposit Bag For Auto Sealing ••••••	12-13
* Coin Deposit Bags ······	17
Security Labels	1/1/15
Goodinty Edbolo Treatment	14-10
Security Tape & Plastic Security Seal	16
Security Tape & Plastic Security Seal	16
Security Tape & Plastic Security Seal	16 18-19
Security Tape & Plastic Security Seal Auto Pre-Opened Bags	16 18-19 20-27
Security Tape & Plastic Security Seal Auto Pre-Opened Bags RFID Security Solutions	16 18-19 20-27 ystem 20-22
Security Tape & Plastic Security Seal Auto Pre-Opened Bags RFID Security Solutions * RFID Cash Security Bags & E-Tickets S	16 18-19 20-27 ystem 20-22 23

Why choose Adsure® Packaging?

Custom Packaging Solutions

With over 30 years' professional experiences and advanced production equipment and technologies, Adsure® provide and develop a packaging solution for you to satisfy your demand.

Quality Assurance

Adsure® makes Quality Assurance during the process of manufacturing and also after the production. Adsure® provide Professional laboratory testing equipment to ensure the better quality of our product.

Any Customization is available

Customer service is our first priority to our customers. Our professional designers are available to solve any design or artwork problem. We are able to customize your demand of any custom print or custom size.We can do it!

Payment Methods

We accept Paypal, Western Union and Wire Transfer

T/T PayPal WESTERN WU



Easy ways to contact us

Phone: +852.8193.0288

+86.0755.6114.8618Fax:

www.AdsurePackaging.com Web:

Email: sales01@adsurepackaging.com

Multiple Custom Options are Available!

Custom Film Extrusion

Custom Printing up to 10 Colors


Custom Bag Convertion







Send your design of the security bags to sales01@adsurepackaging.com and we can do the customization for you!









Custom Film Color

Custom Printing

Custom Bags Styles

Custom Security Bag Capabilities

All Customized Size

Gauges from 10 to 250micron

Print up to 10 Colors

Custom Security Levels from Level 0 - Level 5

Custom Bags Styles


Custom Film Material: Biodegradable, Polypropylene, Co-Extruded Film



- Multiple Tear-off Receipt: for the track and trace record of the handling process.
- Level 4 Tamper Evident Tape Closure: Maximum Security, state of the art technologies Tape.
- Easy to Use Instructions: Help the user to prepare and seal the security bag properly.
- for the highest level of tamper evidence. The width of the seal yields a high strength film bond and the in-set position gives a very positive indication of possible
- 5. Multiple Barcode& Serial Numbers for Track and Trace: located on both the tear-off receipt and the body of the security bag, these numbers provide a tracking method from the sender to the final receiver-even with multiple transfers through an armored








Level 4 Tamper Evident Tape

- 1. Normal Evident: Hidden message "VOID" word appears when tampered in the normal temperature.
- 2. Cold Evident: Hidden message "VOID" word appears when tampered by using Freon or expose to the extremely cold temperature.
- 3. Water & Solvent Evident: "Tamper Evident" word is disappeared when tampered by using water or solvent.
- 4. Heat Evident: Red word "VOID" will show up on the tape when tampered by using extreme heat to get into the bag.







Security Paste



Level 2 Tamper Evident Tape Closure: Middle Security, state of the art technologies Tape.

The Difference of Pouch Seal. Skirt Seal and Side Seal



Pouch Seal: The pouch seal is the most securityseal, because at the side of the bags there is a 10MM width print content was hot sealed makes it not easy to be cut, even if be cut it is very difficult to sealed



Skirt Seal: The side of the bag is hot sealed in two films and have a clear indentation with a thin line. and the seal can print some content also makes it difficultto be cut, so it also has a critical role in anti-theft.



Side Seal: The side seal is the most ordinary one, it consisted by two films and haveno pouch, it is easy to be cut and re-sealed well.

Level 2 Tamper Evident Tape

- 1. **Normal Evident**: Hidden message "VOID" appears when tampered in the normal temperature.
- 2. **Cold Evident:** Hidden message "VOID" word appears when tampered by using Freon or expose to the extremely cold temperature.

Normal



Ambient / Cold Tampering

DIOV AOID DIOV AOID DIOV AOID DIOV AO OID DIOV AOID DIOV AOID DIOV AOID DIO Y NOID DIOV NOID DIOV NOID DIOV NOID

STEBs For Airlines And Duty Free Stores





Adsure® Tamper-Evident Security Bags

- ◆ Ideal for the storage and transportation of Money, Banks Notes, Cheques, Confidential Documents, Medical Reports, Personal Property ...
- ◆ Non-slip material.
- ◆ Self-sealing with Tamper Evident Tape.
- ◆ Unique Sequential Numbering and Barcode on individual bag
- ◆ Tearing off receipt with tracking numbers
- ◆ White write on panel for records and signature


				<u> </u>							
	Item Number	Color	Size (WXL)	Security Level	Thickness	Quantity (PCS)/Case	Gross Weight (KG))/Case				
	PE69O-2	White/Grey Coex	6x9"	Level 2	0.07mm	1000	7.8				
	PE69O-4	White/Grey Coex	6x9"	Level 4	0.07mm	1000	7.8				
	PE912O-2	White/Grey Coex	9x12"	Level 2	0.07mm	1000	12.95				
	PE912O-4	White/Grey Coex	9x12"	Level 4	0.07mm	1000	12.95				
	PE1216O-2	White/Grey Coex	12x16"	Level 2	0.07mm	500	11				
	PE1216O-4	White/Grey Coex	12x16"	Level 4	0.07mm	500	11				
4	PE69C-2	Clear	6x9"	Level 2	0.07mm	1000	7.8				
	PE69C-4	Clear	6x9"	Level 4	0.07mm	1000	7.8				
	PE912C-2	Clear	9x12"	Level 2	0.07mm	1000	12				
	PE912C-4	Clear	9x12"	Level 4	0.07mm	1000	12				
é	PE1216C-2	Clear	12x16"	Level 2	0.07mm	500	10.5				
	PE1216C-4	Clear	12x16"	Level 4	0.07mm	500	10.5				

										- >
G	Comparison of Adsure Level 2 and Level 4 Tamper-Evident Bags	Barcode & Serial Number	Tear off receipt	White Write-On Information Block	Pouch Seal	Normal "VOID"Evident	Cold Evident	Water & Solvent Evident	Heat Evident	
65.	Level 2	•	•	•	•	•	•			
3	Level 4	•	•	•	•	•	•	•	•	XO.









- XXX/ADSURE State/Manufacture Code: every airport have their Fixed code
- Single Handle for easier carry.
- **Unique Serial** Number And Barcode for Track and Trace.
- 4. Tamper Evident Tape Closure Maximum Security, state of the art technologies Tape.
- Special Heat Seal: Wide in-set seals are used for the highest level of tamper evidence. The width of the seal yields a high strength film bond and the in-set position gives a very positive indication of possible tampering.
- 6. (S) ICAO Logo: Every STEBs will have the ICAO logo printed on the bag.

- •Ideal for all Airlines and Duty Free Stores Packaging.
- •With registered ICAO Logo printed on the bag.
- •With clear separate compartment inside for sales receipts.
- ●100% Recyclable and Environment-friendly.

ICAO

Listed Manufacturer

Cooperative Customer












































Applications

- For transport of valuables, money and documents, especially for systems with staining technique.
- ◆ Pack for Banknote Transport within BNS Case.

Functions


- Crime deterrent.
- Compatible with a large majority of banknotes.
- Permeable polyethylene fabric film.
- Identity them with tampered.
- Preventing theft by securing cash in circulation.
- Combination with a non-incendiary CIT system.
- ◆ Environment friendly.

Features

- 1. Multiple tear-off receipt.
- 2. Level 4 Tamper Evident Tape Closure.
- 3. Easy to Use Instructions.
- 4. Write-on Information Panel.
- 5. Special heat seal-pouch seal.
- 6. Multiple Barcode & Serial Numbers for Track and Trace.

- 7. Extremely sturdy double-shrink seal, 100% Recyclable Materials .
- 8. Print along the both sides of the edge.
- 9. bag ensures the contents are dyed quickly and reliably on tampering.
- * Up to 8-10 colour flexo-printing or for customised designs.
- * Kept in a dark and dry place at room temperature (between + 10°C and + 30°C), the pouches can last for 2 years.







Customization and Options


- All Custom Printing
- ◆ All Custom Sizes
- ◆ Barcoding 25 / 39 / 128 / EAN
- ◆ Numeration 6 -16 digits

- ◆ RFID Labelling
- ◆ 25g/m² or 50g/m² permeable
- ◆ 100% recycle Material
- Packaging Cartons and Pallets

Specifications

- ◆ Material = Clear 3 Layers Clear Polyethylene film.
- ◆ Thickness = 70 Micron.
- ◆ Stardard as below.

Item Number	Thickness (Micron)	Size (WXL)	Security Level	Film Color
TEN - 69C - 4	70	6 x 9"	Level 4	Clear
TEN - 912C - 4	70	9 x 12"	Level 4	Clear
TEN - 1216C - 4	70	12 x 16"	Level 4	Clear



Applications

- ◆ Cash Deposit Collection with Auto Sealing.
- ◆ Auto Sealing for ATM, Cash Recycle Machine, Deposit Machine, Slot Machines, Vending Machines, etc.

Functions


- ♦ When machine is being opened, the heat sealer action automatically exactly on the patch area.
- ◆ Securing the cash from any manual handling.

Features

- 1. Rigid HDPE molded Handles for fixing firmly and exactly with the sealer inside the machine.
- 2. 6 Ventilation Holes on 4 sides.
- 3. Maximized Bank Notes Storage Volume with Gusseted structure.
- 4. Card Broad in Bottom Gusset for Maximizing Rigidity.
- 5. Heat Resistant Patches on both sides for wide range sealing temperatures.

- 6. Multiple Barcodes and Sequential Numbers on individual bag.
- 7. White write-on panel for manual recording.
- 8. Printed Instructions for installing and cutting.
- 9. Micro Print on Bottom Seal to Prevent Tampering.
- * 3 Layers White & Black Co-extruded film with 100% Opacity.
- * All Recyclable Materials and ROSH Complied.





Customization and Options

- ◆ All Custom Printing
- ◆ All Custom Sizes
- Custom Rigid Molded Handles
- ◆ Barcoding 25 / 39 / 128 / EAN
- ◆ Numeration 6-16 digits

- ◆ RFID Labelling
- Degradable Material
- ◆ Recycle Contents
- ◆ Packaging Cartons and Pallets

Specifications

- ◆ Material = 3 Layers White & Black Co-extruded Polyethylene film.
- ◆ Thickness = 110 Micron,
- ◆ Available Size = Small and Large.

Size	Thickness (Micron)	Width (mm)	Length (mm)	Depth (mm)	Film Color
Small	110	200	100	350	White / Black Coex
Large	110	200	100	650	White / Black Coex





Available Colors

♦ White, Green, Blue, Red, Black, Yellow,

Tamper Evident Message

◆ OPEN VOID, VOID

Material Liner

◆ PET

♦ PO

Working Temperature

♦ 0 to 65 degrees Celsius Valid of period: 1 year standard condition

Adhesive Residue Left on Surface

- ◆ Total Transfer
- ◆ Partial Transfer
- ♦ Non Transfer

www.AdsurePackaging.com



Options

- ◆ Size
- ◆ Color
- ◆ Die cut design
- ♦ 2D / 3D Design
- ◆ Hidden Message (VOID / VOID OPEN)
- ◆ Different adhesive level
- ◆ Serial numbering & barcode
- ◆ Add RFID Tag
- ◆ Different leave residue on different surface

Applications

- ◆ Assets Tracking
- ◆ Transport & Aviation
- Logistics Packaging
- ◆ Confidential Document
- ◆ Laboratory & Pharmaceutical
- ◆ Banking / CIT / Cashier Box
- ◆ Electronics such as Computers, IT hardware
- ◆ Warranty seals on machinery and tooling



Non-Residue Security <u>Label</u>

Peel off the label, no residue on the object surface.



Partial Transfer security <u>labels</u>

Peel off the label with partial residue on the object surface.



Total Transfer Security <u>Label</u>

Printing & Glue total transfer on the object surface.

15

Object Surface

				Meta	al					Paper	•			Р	lastic					O	thers	
Item Name	Metal Coin Boxes	Atm Cartridges	Aircraft Doors & Hatches	Motor Vehicle Doors & Compartments	Meters, valves	Shipping Container	Cupboards & Cabinets	Cash Boxes	Document Envelopes	Cardboard Packaging	Cartons / Box	First Aid Boxes	Plastic Packaging	Fire Exists	Food & Beverage Containers	Media Evidence Bags & Boxes	Corona Treated Plastic Bags/sheets	Wooden Pallet	Fiber Board	Glass	Rubber Surfaces (Oil Free)	CUSTOM
Non-Residue Security Label	1	1	1	1	1	1	1	1				1	1	1	1	1	1			/		√
Partial Transfer security labels	1	1	1	1	1	1	1	1				1	1	1	1	1	1	1	/	√	√	√
Total Transfer Security Label									1	1	1	1	1	1	1	1	1		1			√



Security Tape

- ◆ Tamper Evident
- Cannot be resealed
- ◆ Tamper evident security tape for shrink wrapped pallets
- ◆ Tamper Evident Security Tape with words "VOID" or "OPEN" on the packing when it was removed (taken off) from the packing tamper evident

Plastic Security Seal





Features

- ◆ Material: Polypropylene(PP)
- ◆ Unique Sequentially numbered for easy tracking on every individual seal
- Heavy Duty and high-density polypropylene copolymer
- ◆ Steel locking teeth design features for strong and positive self-locking
- ◆ Ideal for the security of cash and coin bags, mail sacks, boxes and more

Application

- ◆ Airline
- ◆ Post & Courier
- ◆ Retail
- **♦** Government
- Utility
- ◆ Transport & Distribution
- ◆ Bank / CIT
- ◆ Chemical & Pharmaceutical

Options

- ◆ Barcode & Unique Serial Numbers
- ◆ RFID Tag Inside
- ◆ Laser, Foil or Thermo Transfer for printing



Tamper-Evident Coin Deposit Bags

- ◆ Ideal for all major coin counters and sorters.
- Reinforced die-cut handle can withstand hand test of 50lb load and drop of 7-8 drops from 6.5 feet.
- Extra strong heavy duty polymer.
- ◆ Self-sealing with Tamper Evident Tape.
- Unique Sequential Numbering and Barcode on individual bags for track and trace.
- White write on panel for records and signature.





Coin Zip lock Bags

- Reclosable pouch with ziplock.
- Extra strong plastic polymer.
- Ideal for anyone handling coins or banking.

Reusable security bags

- ◆ With unique serial numbered zip Lock seals to prevent reuse.
- ◆ Made of high quality heavy duty and durable material to enhance strength as well as evidence of tampering by cutting.
- With bottom gusset to supports a heavy load like bills, coins, receipts and confidential notes.
- ◆ Secured against tampering when used zip Lock seals sealed the contents of the bag.
- Internally accessed window for pre-printed address card.
- Flame retardant, heavy duty.
- ◆ Ideal for professional fields such as Banks, Casinos, Accounting firms, Courier company, Grocery stores, and so on.





Features

- ◆ Pre-opened on one side
- ◆ Easily insert the product
- ♦ Easy tear off line
- ◆ Metal/plastic plug on each side
- ◆ Thermal printing on the bag directly

- User benefits
- ◆ Easily processed
- Versatility
- ◆ Good clarity and strength typical

Options

- ◆ Material
- Specifications
- Printing
- ◆ Recyclable
- ◆ Biodegradable

- ◆ Anti-static
- UV Protection
- Oxidation protection
- ◆ Corrosion resistance

◆ Apparel and Accessories

◆ Personal Product and Cosmetic


Application

- ◆ Coins & Financial Products
- ◆ Hardware, Small parts like nuts, bolts, screws
- ◆ Electronic products and accessories
- ◆ Healthcare and Medical Device
- Household productsAgriculture & Testing

- Crafts
- ◆ Toys

Pet products





Р	opular Size				
1	4x7 inch	4	9x12 inch	7	14X19 inch
2	6X9 inch	5	10x13 inch	8	19X24 inch
3	8x10 inch	6	12X15 inch	9	22X24 inch






RFID Cash Security Bags & E-Tickets System



ADSURE® E-TICKETS


- Reliable and Efficiency Real-time cash and data cycle.
- Highest security level (level 4 bags + RFID).
- Easy operation friendly Interface.
- Visible data management.
- Saving cost.







Applications

- Cash handling processes between commercial banks, CITs and retail chain stores are security sensitive and requires the best automation and management.
- ♦ Valuables or high security requirement objects transport or storage.
- ♦ High speed IOT processing with RFID Technology.









Features

- 1. Level 4 Tape: Maximum security level tape with state of art technology.
- 2. E-tickets System: Log in for Check, Summary report & Guide Video.
- 3. Barcode & Serial NO.: Provides a tracking method throughout the entire chain of custody. (from senderto end receiver)
- 4. RFID Tag: All Standard (Fragile RFID tag acceptable). Frequency: UHF 860-960MHZ.
- 5. **Dotted line for Opening:** Cut along it when you want to remove the contents.
- 6. Receipt: For track and trace record during the chain of custody.
- 7. **Easy Using Instructions:** Provides guide on how to properly use the security bag.
- 8. **Microprinting & Pouch Seal:** The highest security sealing, prevent the tampering without any evidence.
- 9. **Write-on Panel:** Prompts the user with vital information categories.





RFID Labels



1-D RFID Label





3-D RFID Label





Anti - metal labels











Jewelry security label

Fragile security label







6X3 cm

9X6 cm

Asset and logistics label



RFID clothing label









25

24



Electronic shelf label








IfLabel's platform is a complete hardware-software system combining Bluetooth4.0 wireless communication and ESL tags, Access Point, Handheld scanner and so on. The Access Point supports both RJ45 Communication and Wi-Fi. Also it can be operated on Cloud Server. What' more, the Access Point can control all the labels within 30 meters.

The system can be operated on Cloud and LAN also can be used in multiple shop and store for commodity management. IfLabel's platform is able to be open to third-party companies to enable interconnection with their own software (such as ERP) or system through API interface, to better meet local customer's requirements.





Hardware



Communication: 2.4G 16-way wireless Number of ILA300BV31 Cover: Each covers 500 ESLs

Covered distance: 30m (Radius) Size: 148.0 x 148.0 x 38.0mm

Weight: 130g

Working Temperature : -20°C ~ + 70°C

Operating Voltage:DC +5.0V


Adapter:Input: AC 100V-240V 50/60Hz Output:

DC 5.0V 2000mA

Power supply: Adaptor or Ethernet cable Port to

Server: WIFI or Ethernet cable

Software ESL management system



Lable list

2.9 inch ESL





4.2 inch ESL





7.5 inch ESL

